GENERAL INDEX TO VOLUME XXI

New scientific names of plants and the final members of new combinations are printed in **bold face type**; synonyms and page numbers having reference to figures and plates, in *italics;* and previously published names and all other matter, in ordinary type.

A

Acanthogonum, 31; *corrugatum*, 31; **polygonoides**, 91; rigidum, 91
Acidity: in cultures of Geotrichum, 358; of plant juice, effect of iodine on, 375
Acroanthes montana, 343
Acrolasia, 112; *affinis*, 193; *albicaulis*, 183, var. *integrifolia*, 194; *aurea*, 199; *bartonioides*, 179; *Bartonioides*, 182; *Catalinensis*, 190; *compacta*, 197; *congesta*, 188; *ctenophora*, 184; *Davidsoniana*, 189; *desertorum*, 194; *dispersa*, 194; *elata*, 207; *gracilenta*, 185; *gracilis*, 185; *humilis*, 155; *integrifolia*, 194; *latifolia*, 196; *micrantha*, 190, var. *stricta*, 190; *montana*, 194; *nitens*, 197; *parviflora*, 183; *pectinata*, 187; *pinnatifida*, 179; *Solierii*, 181; *squalida*, 135; *tenerrima*, 182; *tricuspis*, 203; *tridentata*, 204; *Tweedyi*, 183; *Veatchiana*, 186; *viridescens*, 183
Aplopappus canescens, 598; chrysanthemifolius, 598; ciliatus, 598; integerrimus, 598; lanceolatus, 598; pulchellus, 598; uniflorus, 598
Apocynaceae, New or otherwise noteworthy, of tropical America, 613
Aquilegia **Piersoniana**, 344
Arcangeliella Campbellae, 634; nana, 632
Asclepiads, Two new, from Szechuan, China, 609
Aster caucasicus, 599; *glutinosus*, 586; incisus, 599; *serratus*, 454; sibiricus, 599; *spathularis*, 454; *spathulatus*, 454
Aurelia, 436; *amplexicaulis*, 477; *decurrens*, 587

B

Bartonia, 112; *albescens*, 160; *albicaulis*, 182; *aurea*, 199; *decapetala*, 140; *laevicaulis*, 147; *micrantha*, 182, 190; *multiflora*, 164; *nuda*, 162; *ornata*, 140, 147; *parviflora*, 147; *pumila*, 164, 168; *sinuata*, 160; *superba*, 140; *Wrightii*, 160
Berkley, Earl E. Certain physical and structural properties of three species of southern yellow pine correlated with the compression strength of their wood, 241; Poria Cocos (Schw.) Wolf, found on a railroad tie in service, 339
Bicuspidaria, 112; *hirsutissima*, 201; *involucrata*, 205; *tricuspis*, 203
Bronchial and pulmonary infection, A new Geotrichum from a, 349

C

Carbohydrate reactions in cultures of Geotrichum, 358
Catalase activity, effect of iodine on, 387, 412
Centrostegia leptoceras, 91; Thurberi, 91; **Vortriedei**, 91
Chamonixia, 692
Chemical reactions of an oxidation mechanism, 414
China, Two new Asclepiads from Szechuan, 609
Chorizanthe, A revision of the North American species of the genus, 1
Chorizanthe, 17; *Andersoni*, 43; angustifolia, 41, var. **Eastwoodae**, 42; **biloba**, 73; brevicornu, 22, 23; *brevicornu*, 26; Breweri, 63; *californica*, 91, var. *Suksdorfii*, 91; **chaetophora**, 89, *100;* subsect. Chorizanthella, 23; **chrysacantha**, 57, *102*, var. **compacta**, 58; Clevelandii, 76; commissuralis, 23; corrugata, 30, *98; cuspidata*, 38, var. **marginata**, 40; diffusa, 42; discolor, 62; *discolor*, 51; Douglasii, 48; *Douglasii*, 46, var. *albens*, 36, var. *Hartwegi*, 37; *fernandina*, 80; fimbriata, 66; *fimbriata* var. *laciniata*, 68; flava, 82, *98;* subsect. **Flavae**, 81; *floccosa*, 91; frankenioides, 22; glabrescens, 22, *98;* sect. Herbaceae, 35; **Howellii**, 44, *102;* inequalis, 80; *insignis*, 91; *insularis*, 65; **interposita** 32; **Jonesiana**, 88, *100; laciniata*, 68; Lastarriaea var. **californica**, 33; *Lastarriaea*, 33; *leptoceras*, 91; **lepto-**

theca, 61; *membranacea*, 91; **mutabilis**, 81, *98*; *nivea*, 43; *Nortoni*, 48; *nudicaulis*, 52; obovata, 70, *f.* **prostrata**, 71; Orcuttiana, 29, *98*; Palmeri, 75; subsect. **Parryanae**, 78; Parryi, 78, var. fernandina, 80; subsect. **Perennes**, 22; *perfoliata*, 91; *polygonoides*, 91; procumbens, 84, var. **albiflora**, 87, var. **mexicana**, 87; subsect. **Procumbentes**, 84; pulchella, 83; pungens, 35, *98*, var. **Hartwegi**, 37; *pungens* var. *cuspidata*, 38, var. *diffusa*, 42, var. *nivea*, 43, var. *robusta*, 46; subsect. **Pungentes**, 35; **rectispina**, 72; rigida, 91; robusta, 46; spathulata, 26; *spinosa*, 91; subsect. **Staticoideae**, 51; staticoides, 51, *98*, *f.* **bracteata**, 54, var. **brevispina**, 55, var. **elata**, 56, var. **latiloba**, 57; *staticoides*, 61, 65, var. *nudicaule*, 52; stellulata, 50; Sect. **Suffruticea**, 22; *Thurberi*, 91, var. *cryptantha*, 91; *uncinata*, 85; uniaristata, 77; *uniaristata*, 72; subsect. **Uniaristatae**, 70; *valida*, 47, *98*; *Vaseyi*, 82; villosa, 45; virgata, 19, 22; *Vortriedei*, 91; Watsoni, 27; Wheeleri, 64; Xanti, 59, var. **leucotheca**, 60

Chrysophthalmum andinum, 599

Chrysostoma, 112; *aurea*, 119

Coccidioides immitis, 361

Compression strength of yellow pine, 280

Corallorrhiza striata var. **Vreelandii**, 343; *Vreelandii*, 343

Creolobus, 112; *aurea*, 199

Cufodontia **arborea**, 617; Lundelliana, 618; Stegomeris, 618

D

Darling's histoplasmosis, 347

Darlington, Josephine. A monograph of the genus Mentzelia, 103

Demetria, 436; *glutinosa*, 587; *spathulata*, 454

Dendrogaster, 625, 684; cambodgensis, 687, *708*; **candidus**, 688, *708*; connectens, 685, 689, *708*; **foetidus**, 691, *708*; **globosus**, 690, *708*; **major**, 686, *708*; **megasporus**, 686, *708*; **radiatus**, 688, *708*; **utriculatus**, 689, *708*

Density of wood substance of yellow pine, 248

Dodge, Carroll W. Proposals for amendment of Article 20 of the International Rules of Nomenclature, 709; and Sanford M. Zeller. Hymenogaster and related genera, 625

Donia, 436; *canariensis*, 598; *ciliata*, 598; *glutinosa*, 556, 587; *inuloides*, 454, var. β, 550; *lanceolata*, 514, 598; *squarrosa*, 477; *uniflora*, 598; *villosa*, 550

Doniana, 436

Doronicum glutinosum, 586

E

Echites, 615; *bracteata*, 622; **cincinnalis**, 616; elegantula, 617; *Megagros*, 623; **turbinata**, 615; turrigera, 617; Tuxtlensis, 616; *Velloziana*, 622; yucatanensis, 617

Endomyces dermatitidis, 360

Enzymatic activity. The effects of increasing the iodine content of the tomato plant on, 367, 412

Eriogonella, 90; **membranacea**, 91; **spinosa**, 91

Eucnide bartonioides, 207; cordata, 207; lobata, 207; urens, 207

F

Fernaldia, 617

Fiber-saturation point of yellow pine, 245

Field and herbarium studies. III, 343

Forsteronia, 618; *bracteata*, 622; corymbosa, 619; floribunda, 619, 622; *microphylla*, 622; *multinervia* γ *microphylla*, 622; **paludosa**, 620; **portoricensis**, 618; **simulans**, 621; **Velloziana**, 622

G

Gasteromycetes, A new order of, 231

Gautiera, 692

Gautieria, 625, 692; **albida**, 704, *708*; **caudata**, 698, *708*; **chilensis**, 694, *708*; **gautierioides**, 697, *708*; graveolens, 695, *708*, var. **Otthii**, 696, *708*; *graveolens*, 701, var. *mexicana*, 701; **Harknessii**, 704, *708*; **mexicana**, 701, *708*; monticola, 700, *708*; morchelliformis, 692, 698, *708*; *morillaeformis*, 699; **mucosa**, 703, *706*; *Otthii*, 696; **pallida**, 702, *708*; Parksiana, 705, *708*; plumbea, 694, *708*; retirugosa, 697; **Rodwayi**, 702, *708*; Trabuti, 700, *708*; *villosa*, 699

Geotrichum, A new, from a bronchial and pulmonary infection, 349
Geotrichum, 349, 358; asteroides, 360; *dermatitidis*, 360; *immite*, 360; louisianoideum, 360; multifermentans, 360; pulmoneum, 360; **versiforme**, 349, 361, 364, *366*, cultural description, 354, morphological description, 351
Goodman, George J. A revision of the North American species of the genus Chorizanthe, 1
Grindelia, Studies in, II. New species, varieties, and combinations of Grindelia, 227; Monograph of the North American species of the genus Grindelia, 433
Grindelia, 435; acerosa, 598; **acutifolia**, 498, *499;* **aggregata**, 566, *564; Andersonii*, 559; *andina*, 599; *angustifolia*, 454; aphanactis, 490; **arenicola**, 229, 594, *595*, var. **pachyphylla**, 596, f. **trichophora**, 596; *arguta*, 454, 510, f. *glabra*, 510; arizonica, *505*, 506, var. **dentata**, 508, var. **microphylla**, 508, var. **stenophylla**, 507; *arizonica*, 488, 508, 510; **Blakei**, 567, *568; bracteosa*, 227, 584; *Brownii*, 542; camporum, 532, *540*, var. **abbreviata**, 228, 535, var. **australis**, 228, 535, var. **Davyi**, 536, var. **interioris**, 538, f. **foliacea**, 538, var. **parviflora**, 534; *camporum*, 519, 535, 582; *canescens*, 598; *caucasica*, 599; *collina*, 564; columbiana, 555; *coronopifolia*, 599; *costata*, 461; *cuneifolia*, 524, 526, 585, 594, var. *paludosa*, 529; *decumbens*, 503, *505*, var. **subincisa**, 503; *decumbens*, 507; *discoidea*, 555; *eldorae*, 500; *erecta*, 501, 503; fastigiata, 493; *fastigiata*, 491; *glandulosa*, 456; *glutinosa*, 558, 576, 586, 589, 598; grandiflora, 461, *462; grandiflora*, 511; **Greenei**, 517, *518;* **Greenmanii**, 460, *462;* **Hallii**, 229, 519, *520;* **Havardii**, 474, *476;* Hendersonii, 562; hirsutula, 569, *579*, var. **brevisquama**, 572, f. **glabrata**, 573, f. **pedunculoides**, 574, f. **tomentulosa**, 574; hirsutula f. **cacumena**, 571, var. **calva**, 575, hirsutula f. **patens**, 570, var. **subintegra**, 229, 575; *hirsutula*, 538, 557, 560, 563, 572, 574, 580, 590; **Howellii**, *540*, 549; humilis, 524, *525*, f. **pubescens**, 527, f. **reflexa**, 526; *humilis*, 541, α, 541, β, 541; *incisa*, 599; inornata, 494, *495*, var. **angusta**, 496; *integerrima*, 546; integrifolia, *540*, 550, f. **dentata**, 551, var. virgata, 552, f. **villosa**, 553; *integrifolia*, 552, 557, 560, 561, 562, 563, var. *aestivalis*, 563, 564; inuloides, 453, *457*, var. **glandulosa**, 456; *inuloides*, 460, 464, 467, 471, γ, 466, var. *microcephala*, 464, 466, 467; laciniata, 504, *505; lanata*, 563; lanceolata, 513, *518*, f. **latifolia**, 515; *lanceolata*, 511; *latifolia*, 227, 586; **littoralis**, 516; *macrophylla*, 561; **maritima**, 576, *579*, f. **anomala**, 578; microcephala, 466, *468*, var. **adenodonta**, 467, f. **angustior**, 469, var. **montana**, 470, var. **pusilla**, 467; *microcephala*, 506; *montana*, 587; nana, *523*, 541, var. **altissima**, 544, f. **puberula**, 545, nana f. **Brownii**, 542, var. **integerrima**, 546, f. **longisquama**, 543, var. **Paysonorum**, 547, var. **turbinella**, 545; *nana*, 477, 485, 542, 544, 545, 552, var. *columbiana*, 555, var. *discoidea*, 555, 564, β *integrifolia*, 541; **Nelsonii**, 463, *465; neomexicana*, 510; *nuda*, 480; oolepis *518*, 519; *oregana*, 543, 557, 559, 560, 561, 562, 563, 564, f. *Wilkesiana*, 557, subsp. *Wilkesiana*, 557, 563; oxylepis, 488, *495*, f. **capitellata**, 490, var. **eligulata**, 490; *pacifica*, 585; **Palmeri**, *465*, 471; paludosa, 529; *patens*, 570; *Paysonorum*, 547; perennis, *476*, 485; *peruana*, 587; peruviana, 587; *pinnatifida*, 491; platylepis, 499; procera, 521, 523; pubescens, 454; *pulchella*, 598; **revoluta**, *495*, 496; **Robinsonii**, 459, *457; robusta*, 227, 582, 584, 587, var. *angustifolia*, 524, var. *Davyi*, 536, var. *latifolia*, 587, var. *maritima*, 571, 577, var. *patens*, 570, var. *platyphylla*, 227, 590, var. *rigida*, 532, 536; rubricaulis, *579*, 580, var. **bracteosa**, 227, 584, var. **elata**, 227, 582, var. **latifolia**, 227, 586, f. **minor**, 589, f. **pubescens**, 589; rubricaulis var. **permixta**, 582, var. **platyphylla** 227, 589, f. **villosa**, 590, var. **robusta**, 227, 584; *rubricaulis*, 570, 572, 574, var. *interioris*, 538, var. *maritima*, 576; scabra, 509, var. neomexicana, 510; *serrulata*, 227, 482, 501, × *perennis*, 485; *setulifera*, 506; *sibirica*, 599; *spatulata*, 454; squarrosa, 227, 477, f. **depressa**, 480, var. nuda, 480, f. **angustior**, 481, var. serrulata, 482; *squarrosa*, 474, 480,

482, 485, 489, 490, 496, 501, 533, 536, 541, var. *grandiflora*, 461, 474, 477, 480, 510, 511, 541, var. *hirtella*, 472, var. *nuda*, 491, var. *quasiperennis*, 485; stricta, 556, *564*, var. **aestuarina**, 560, f. **elongata**, 560, var. **Andersonii**, 559, var. **collina**, 564, var. **Hendersoni**, 562, var. **lanata** 563, var. **macrophylla**, 561, var. **procumbens**, 559, f. **venulosa**, 558; *stylosa*, 599; subalpina, 499, *500*, var. **erecta**, 501; *subalpina*, 498, 502; subdecurrens, *468*, 472; *subincisa*, 503, 504; **sublanuginosa**, 458, *457*; **tenella**, 464, *465*; texana, 511, *512*; *texana*, 498, 502; *venulosa*, 558; *villosa*, 550; *virgata*, 552

Growth: effect of iodine on, 371; of yellow pine, 251

H

Haemadictyon megalagrion, 623

Hamaria, 18

Hedysarum pabulare var. **rivulare**, 349

Herbarium studies, Field and, III, 343

Hesperaster, 112; *chrysanthus*, 171; *decapetalus*, 140; *densus*, 157; *laevicaulis*, 147; *multiflorus*, 155, 165; *nudus*, 162; *perennis*, 154; *pumilus*, 168; *Rusbyi*, 172; *speciosus*, 165; *strictus*, 143

Histoplasma capsulatum, 348

Hollisteria lanata, 91

Hoorebekia, 436

Hymenangium, 625, 628, 629; *album*, 640; *Moselei*, 682

Hymenogaster and related genera, 625

Hymenogaster, 625, 628; albellus, 669, *706*; *albidus*, 704; albus, 640, *706*; *albus*, 664; arenarius, 674, *706*; *arenarius* forma *austriacus*, 665; *argenteus*, 643; aromaticus, 680; **atratus**, 656, *706*; aureus, 680; *australis*, 665; *Barnardi*, 673; **Boozeri**, 653, *706*; Bucholtzi, 644; Bulliardi, 629, 638; *Bulliardi*, 704, *706*; caerulescens, 652, *706*; *caespitosus*, 652; *calosporus*, 662; *campester*, 664; *candidus*, 688; *caudatus*, 698; cerebellum, 631, 645, *706*; cereus, 677; cinereus, 653; citrinus, 629, 646, *706*, var. pallens, 648; *Citrus*, 647; *decorus*, 659, 662; disciformis, 658; eurysporus, 661; flavidus, 680; *foetidus*, 691; **fragilis**, 646, *706*; *fulvus*, 682; **fusisporus**, 631, 673, *706*; **Gardneri**, 649, *706*; *gautierioides*, 697; **Gilkeyae**, 649, *706*; gilvus, 667; *globosus*, 690; griseus, 651, *706*; *griseus*, 664; Hessei, 672, *706*; javanicus, 670; *Klotzschii*, 640; leptoniisporus, 683; *leptoniisporus*, 684; levisporus, 678, *706*; lilacinus, 643, 660, *706*; *limosus*, 665; luteus, 677, *706*, var. subfuscus, 678; *luteus*, 669; lycoperdineus, 639, *706*; Maideni, 679; **McMurphyi**, 658, *708*; *microsporus*, 682; minusculus, 659; *monticolus*, 700; *Moselei*, 682; *mucosus*, 703; **mutabilis**, 657, *706*; muticus, 630, 650, *706*; niveus, 654, *706*; **occidentalis**, 668, *706*; olivaceus, 632, 661, *706*; *olivaceus* var. *modestus*, 661; *olivaceus* f. *montana*, 659; **pachydermis**, 637, *706*; *pallidus*, 662, 702; **Parksii**, 674, *706*; pilosiusculus, 651; *Pisomyces*, 647; populetorum, 667, *706*; pruinatus, 648; *Pumilionum*, 682; *pusillus*, 675; **pyriformis**, 644, *706*; *radiatus*, 688; *Rehsteineri*, 659; **Remyi**, 679, *706*; reniformis, 668; **reticulatus**, 656, *706*; *Rodwayi*, 702; ruber, 636, *706*; rufus, 631, 681; Setchellii, 681; spictensis, 655, *706*; sulcatus, 671, *706*; *Suzukianus*, 675; tener, 631, 642, *706*; *tener* var. *arbuticola*, 665, var. *mutabilis*, 657; Thwaitesii, 669, *706*; *tomentellus*, 673; *Trabuti*, 697, 700; uliginosus, 639; *utriculatus*, 690; verrucosus, 659, *706*; *versicolor*, 636; viscidus, 642, *706*; vulgaris, 664, *708*; *vulgaris*, 672; zeylanicus, 631, 676, *708*

Hymenogasteraceae, 625

Hysterangium atratum, 657; *australe*, 664; *fusisporum*, 673

Hysterangium **Moselei**, 682

I

International rules of nomenclature, Proposals for Amendment of Article 20 of the, 709

Inula glutinosa, 586; *serrata*, 454; *spathulata*, 454

Invertase activity, effect of iodine on, 404, 412

Iodine content: of the tomato plant, The effects of increasing, on respiration and enzymatic activity, 367; effect of, on acidity of plants, 375, on growth of plants, 371, on oxidizing enzymes, 387, on non-oxidizing enzymes, 404, on respiration, 375; toxicity of, to plants, 374

J

Jasonia laevigata, 598

L

Lastarriaea, 18; *chilensis*, 33, subsp. *californica*, 33
Laubertia, 614
Loasa ignea, 122
Loasa parviflora, 207
Lycoperdon **microsporus**, 682

M

Macropharynx, 614; **anomala**, 614; spectabilis, 615
Malaxis, 343; *montana*, 343; **Soulei**, 343
Mandevilla, 622
Marsdenia Calesiana, 611; **carnea**, *610*, 611
Media, growth of Geotrichum versiforme on various, 354, *364*
Melanogaster, 631; *Ferrarianus*, 647
Mentzelia, A monograph of the genus, 103
Mentzelia, 111; *acerosa*, 158; *acuminata*, 147; adhaerens, 129, *222;* affinis, 193; albescens, 160; albicaulis, 182, var. **ctenophora**, 184, var. **gracilis**, 184; *albicaulis*, 135, var. *genuina*, 194, var. *gracilenta*, 185, var. *integrifolia*, 194, var. *Jonesii*, 198, var. *pectinata*, 187, var. *spectabilis*, 198, var. *Veatchiana*, 186; *andina*, 179; arborescens, 115, *222;* **argillosa**, 153; aspera, 113, 134, *222; aspera*, 118; asperula, 133, *222; aurea*, 126, 164, 199; sect. Bartonia, 137; *Bartonia*, 199; bartonioides, 182; sect. Bicuspidaria, 200; Brandegei, 152; chilensis, 123, var. atacamensis, 124; *chilensis*, 122, 124; chrysantha, 171; citrina, 180; *compacta*, 197; congesta, 188, var. Davidsoniana, 189; *Conzattii*, 115; *cordata*, 207; cordifolia, 120; cordobensis, 122; corumbaensis, 207; *crocea*, 199; *ctenophora*, 184; *Davidsoniana*, 189; decapetala, 139; densa, 157; *Diehlii*, 126; dispersa, 194, var. compacta, 197, var. latifolia, 196; *dispersa* var. *obtusa*, 194, var. *pinetorum*, 194; sect. Eumentzelia, 114; Fendleriana, 117; floridana, 131; fragilis, 207; *Galeottii*, 118; gracilenta, 185, var. pectinata, 187, var. Veatchiana, 186; *gracilis*, 118; grandiflora, 207; *Grisebachii*, 125; *gronoviaefolia*, 207; *Haenkii*, 182; hirsutissima, 201, var. nesiotes, 202, var. stenophylla, 202; hirta, 208; hispida, 118; **humilis**, 155; ignea, 122; *imbricata*, 118; *incisa*, 118; integra, 174; *integrifolia*, 194; involucrata, 205, var. megalantha 206; *Karwinskii*, 118; **laciniata**, 173; laevicaulis, 146, *222; laevicaulis* var. *acuminata*, 146; *latifolia*, 196; leucophylla, 156; Lindheimeri, 128; Lindleyi, 199; *Lindleyi* var. *eremophila*, 198; *lobata*, 207; **longiloba**, 176, *224;* lutea, 177; micrantha, 190; *micrantha* var. *stricta*, 190; *monosperma*, 126; multicaulis, 156; multiflora, 164; *multiflora* var. *densa*, 157, var. *humilis*, 155, var. *integra*, 174, var., 168; *Nelsonii*, 126; ngaumderensis, 207; nitens, 197, var. **eremophila**, 198, var. **Jonesii**, 198, var. **leptocaulis**, 199; nuda, 162; *nuda* var. *integrifolia*, 162, var. *subpinnatifida*, 162; *oligosperma*, 125; **oreophila**, 175, *224; Orizabae*, 118; *ornata*, 140, 146; ovata, 208; *Palmeriana*, 118; *parviflora*, 182; *parvifolia*, 124; *pectinata*, 187; *pedicellata*, 135; *perennis*, 154; *petiolata*, 126; *pinetorum*, 194; pinnatifida, 179, var. uniseriata, 180; polita, 153; *polyantha*, 119; propinqua, 208; pterosperma, 174; **puberula**, 177; pumila, 168, var. **procera**, 169; *pumila*, 156, 164, var. *densa*, 157, var. *genuina*, 168, var. *humilis*, 155, var. *multicaulis*, 156, var. *multiflora*, 164, var. *Reverchonii*, 162, var. *Rusbyi*, 171; reflexa, 159, *222; rhombifolia*, 126; Rusbyi, 171; scabra, 116; sessilifolia, 124; Solierii, 181; soratensis, 120; *speciosa*, 164; *stenophylla*, 262; *stipitata*, 118, 135; stricta, 143; **strictissima**, 163; strigosa, 121; *synandra*, 207; *tenerrima*, 182; texana, 133; Torreyi, 158, *222;* sect. Trachyphytum, 178; tricuspis, 203, *224*, var. brevicornuta, 204; *Tweedyi*, 182; *urens*, 207; *Veatchiana*, 186; *Wrightii*, 160, 168
Mentzelia, 112
Microsperma, 112
Microstylis montana, 343
Monilia, 349, 358, 360

Moore, Morris. A new Geotrichum from a bronchial and pulmonary infection, Geotrichum versiforme Moore, n. sp., 349; Posadasia pyriformis and P. capsulata, two causative organisms of Darling's histoplasmosis in the United States, 347
Moisture content of yellow pine wood, 245
Mucronea californica, 91, var. **Suksdorfii**, 91; perfoliata, 91
Mycoderma, 349, 358, 360
Mycotorula, 360
Myriophyllum Wrightii, 160

N

Nigropogon, 683; *asterosporus*, 683
Nomenclature, International rules of, Proposals for Amendment of Article 20 of the, 709
Nuttallia, 112; *acuminata*, 147; *albescens*, 160; *Brandegei*, 152; *chrysantha*, 171; *decapetala*, 140; *densa*, 157; *gypsea*, 155; *hastata*, 172; *humilis*, 155; *integra*, 175; *laciniata*, 173; *laevicaulis*, 147; *lobata*, 175; *lutea*, 177; *marginata*, 165; *multicaulis* 157; *multiflora*, 165; *nuda*, 162; *parviflora*, 147; *procera*, 169; *pterosperma*, 174; *pumila*, 168; *Rusbyi*, 172; *sinuata*, 165; *speciosa*, 165; *Springeri*, 165; *stricta*, 143; *strictissima*, 164; *Wrightii*, 160

O

Oidium, 349, 358, 360; asteroides, 359; lactis, 359; matalensis, 359; rotundatum, 359
Oospora, 349, 358, 360
Oxygenase activity, effect of iodine on, 398, 412
Oxytheca **insignis**, 91

P

Penstemon **acaulis**, 345
Peptase activity, effect of iodine on, 410
Peroxidase activity, effect of iodine on, 393, 412
Pigments, respiratory, 412
Pine, southern yellow, Certain physical and structural properties of three species of, correlated with the compression strength of their wood, 241, *332*, *334*, *336*, *338*
Pinus echinata, 243, 251, *330*; palustris, 251, *330*; Taeda, 251, *330*
Polygonum **minutissimum**, 343
Poria Cocos (Schw.) Wolf, found on a railroad tie in service, 339, *342*
Posadasia **capsulata**, 348; **pyriformis**, 347
Posadasia pyriformis and P. capsulata, two causative organisms of Darling's histoplasmosis in the United States, 347
Potassium iodide, effect of, on growth of plants, 367
Prestonia, 623; **Meg'agros**, 623; *megalagrion*, 623
Protogaster, 236; radicicolus, 235; **rhizophilus**, 236, *238*, *240*; Violae, 235
Protogaster, representing a new order of the Gasteromycetes, 231
Protogastraceae, 235
Protogastrales, 235
Pulmonary and bronchial infection, A new Geotrichum from a, 349
Pyrisperma, 628
Pyrispora, 628

R

Resin, percentage of, in yellow pine, 249; size and distribution of ducts, 255
Respiration and enzymatic activity, The effects of increasing the iodine content of the tomato plant on, 367, 375
Rhizopogon, 237; *albus*, 640, 664; Pumilionum, 682; rubescens, 682
Richoniella, 625, 683; **asterospora**, 683, *708*; leptoniispora, 684, *708*
Rocky Mountain plants, 343

S

Specific gravity in yellow pine wood, 250
Splanchnomyces, 629; *albus*, 640; *Berkeleyanus*, 677; *Broomeanus*, 661; *citrinus*, 647; *Citrus*, 647; *Cordaeanus*, 661; *luteus*, 677; *lycoperdineus*, 639; *olivaceus*, 661; *populetorum*, 667; *tener*, 643; *Tulasneanus*, 664
Steyermark, Julian A. Studies in Grindelia, I, 227; II, 433
Structural properties of yellow pine, 251

Studies in Grindelia. I. New species, varieties, and combinations of Grindelia, 227; II. A monograph of the North American species of the genus Grindelia, 433
Sugar, fermentation of, in cultures of Geotrichum, 358

T

Taxodium, 339
Temnadenia **stenantha**, 613
Thuraria, 436
Thyrsanthus bracteatus, 622
Tomato plant, The effects of increasing the iodine content of the, on respiration and enzymatic activity, 367
Torreya, 112; *nuda*, 162; *ornata*, 140
Torula, 360
Touterea, 112; *Brandegei*, 152; *chrysantha*, 171; *decapetala*, 140; *densa*, 157; *humilis*, 155; *integra*, 175; *laciniata*, 173; *laevicaulis*, 147; *lutea*, 177; *multicaulis*, 156; *multiflora*, 165; *nuda*, 162; *ornata*, 140; *parviflora*, 147; *perennis*, 154; *pterosperma*, 174; *pumila*, 168; *Rusbyi*, 172; *sinuata*, 165; *speciosa*. 165; *stricta*, 143; *Wrightii*, 160
Tracheid dimensions in yellow pine, 270
Trachyphytum, 112; *congestum*, 188; *gracile*, 185
Trigonocarpus, 17
Tropical America, New or otherwise noteworthy Apocynaceae of, IV, 613
Tuber Borchii, 640; *moschatus*, 638
Tuckahoe, 339.
Tylophora fasciculata, 610; **minutiflora**, 609, *610;* pseudotenerrima, 610

V

Vanclevea stylosa, 599

W

Williams, Louis. Field and herbarium studies, III, 343
Wood, yellow pine; density of, 248; rate of growth, 251; percentage of summer wood in, 254; resin in, 249; size and distribution of rays of, 260, of resin ducts, 255; specific gravity of, 250; structure of cell wall, 274; tracheid dimensions of, 270
Woodson, Robert E., Jr. New or noteworthy Apocynaceae of tropical America. IV, 613; Two new Asclepiads from Szechuan, China, 609
Wynd, F. Lyle. The effects of increasing the iodine content of the tomato plant on respiration and enzymatic activity, 367

X

Xanthocephalum centauroides, 599

Z

Zeller, S. M. Protogaster, representing a new order of the Gasteromycetes, 231; C. W. Dodge and. Hymenogaster and related genera, 625